

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((vladimir near3 sachenko) or (timm near3 falter) or (martin near3 huvar)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:45
S3	299	(sap adj aktiengesellschaft).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:46
S7	5	(sap adj aktiengesellschaft).as. (web with service).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:49
S8	78	((web adj service) with client with proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:54
S9	48	((web adj service) with client with proxy) ((description or context) with (web adj service))(@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 14:58
S10	24	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc \$4 or generat\$4) with (client) with (proxy)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 15:04
S11	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc \$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/02 17:35

S12	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (implement\$6) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 13:39
S13	3	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (implement\$6) (@ad< "20031230") (X?509)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/04 16:11
S14	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 10:59
S15	7	S14 wrap\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 10:59
S19	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:35
S20	2	S19 and (regenerat\$ or recreat\$ or re?generat\$4 or re?create)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:08
S21	11	((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:09

S25	11	((web adj service) with client) and ((re?start\$4 or restart\$4) same session) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 15:11
S26	2475	709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:10
S27	5	709/230.ccls. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:12
S28	7324	(726/2-21).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:13
S29	14	(726/2-21).ccls. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:16
S30	5	(726/2-21).ccls. ((web adj service) with client with proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:13
S31	88	(709/201-237).ccls. ((web adj service) with client with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:17
S32	5	(709/201-237).ccls. ((web adj service) with client with proxy) ((description or context) with (web adj service))((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy))(authenticat\$5) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/09 16:18

S35	4	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authentikat\$5)(session) (certificate or X?509) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 07:38
S37	5	((web adj service) with client with proxy)((creat\$5 or produc\$4 or generat\$4) with (client) with (proxy)) (authentikat\$5)(plug near2 play) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:15
S38	16	((select\$4 or choos\$4 or set \$4 or config\$8) with authentikat\$4 with type) ((web adj service) with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:50
S39	3	((select\$4 or choos\$4 or set \$4 or config\$8) with authentikat\$4 with type with client) ((web adj service) with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:52
S40	62	(authentikat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:53
S41	34	(authentikat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509)(proxy near client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:54
S42	34	(authentikat\$4 with (type or protocol or configuration) with client) ((web adj service) with client) (certificate or X?509)(proxy near client)(implement\$6 with client) (@ad< "20031231")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 09:55
S47	15	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:19

S50	5	(web adj service) ((regenerat\$4 or re?generat\$4 or re?creat\$4 or recreat\$4 or reproduc\$4 or re?produc\$4) with (web service))(client proxy)(@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:24
S53	406	(web adj service)(authenticat\$4 or certificat\$6 or X?509) ((generat\$4 or creat\$4 or produc\$4 or regenerat\$4 or recreat\$4 or reproduc\$5) with client)(protocol session implement\$6) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:30
S54	51	(web adj service)(authenticat\$4 or certificat\$6 or X?509) ((generat\$4 or creat\$4 or produc\$4 or regenerat\$4 or recreat\$4 or reproduc\$5) with client with proxy) (protocol session implement\$6) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 10:30
S55	48	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)(implement\$7 with (web adj service)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 16:43
S56	1	"60406786"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 15:39
S57	145	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:31
S58	65	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:25
S59	97	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy)(((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design))(@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:26

S60	97	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:28
S62	37	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design or updat\$4 or chang\$4 or config\$7)) with (web adj service)) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:30
S64	91	(web adj service)((creat\$4 or generat\$4 or produc\$4) with client with proxy) (((GUI or (user adj interface) or menu or option) with (select\$4 or choos\$4 or set\$4)) or (design or updat\$4 or chang\$4 or config\$7)) with ((web adj service) or (client with proxy))) (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:31
S65	54	S64 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/10 17:36
S66	25	S64 not S62 not (accenture). as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/11 07:43
S71	240	((web adj service) with client with proxy) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:21
S72	117	((web adj service) with client with proxy)(protocol with implement\$6) (ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:21

S73	102	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:22
S75	102	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy) (ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:25
S76	53	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy)(message near exchang\$4) (ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:26
S77	47	((web adj service) with client with proxy)(protocol with implement\$6)(WSDL or (description near2 (web adj service)))(re\$2generat\$4 or re\$2creat\$4 or generat\$4 or creat\$4) near3 (web adj service) or proxy)(message near exchang\$4)(security) (ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/29 13:26
S78	35	("20030014733"   "20030204645"   "20030233477"   "20040030627"   "20040044656"   "20040139151"   "20040221017"   "20040267927"   "20050015491"   "20050086664"   "20050096960"   "20050097178"   "6560633"   "7127700"   "7159224"   "7246358"   "7284039"   "7296022").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 09:25

S79	138	((web near service) with transport with protocol) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:02
S80	8	((web near service) with transport with protocol) (virtual near5 interface) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:03
S81	5	((web near service) with transport with protocol) (virtual with (web near service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:08
S82	20	((web near service) with transport with protocol) (business near logic) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 10:32
S83	48	(web near2 service) (transport near3 protocol) (business near2 logic) (virtual near3 interface) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 11:59
S84	2	"20060031850"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:02
S85	2	"6985939".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:08
S86	2	"20050278348"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:22
S87	51	(web near2 service) (transport near3 (protocol or layer))(business near2 (logic or method or object)) (virtual near3 interface) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/23 17:30



S88	2547	((web adj service).clm. ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:06
S89	117	((web adj service) near5 (descript\$4) with (provider client)).clm. ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (business near logic) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:08
S90	75	((web adj service) near5 (descript\$4) with (provider client)).clm. ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (((web near service) or protocol ) near5 (business near logic)) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:11
S92	13	((web adj service) near5 (descript\$4) with (provider client)).clm. AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:22
S93	31	((web adj service) near5 (descript\$4) with (provider client)) AND ((web adj service) near5 descript\$4) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (business near logic) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:31

S94	68	((web adj service) near5 (descript\$4)) AND ((web adj service) near5 (interface)) AND ((web adj service) near3 (provider client server)) AND (protocol) AND (HTTP and SOAP) AND (business near logic) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:49
S95	37	S94 not S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/07 11:49
S96	2	"7159224".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/07 14:18
S97	302	((web adj service) with protocol with (HTTP SOAP) ) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/07 17:15
S98	39	((web adj service) with protocol with (HTTP SOAP) ) AND (web adj service with protocol).clm. AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/07 17:16
S99	2	"20060031850".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 09:40
S100	2	"6985939".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 09:46
S102	52	(web adj service).ab. (HTTP WSDL SOAP SMTP) (interface with (web adj service)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 10:48

S103	35	(web adj service).ab. (HTTP WSDL SOAP SMTP) (interface with (web adj service))(port or (transport near protocol)) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 10:49
S106	4	(web adj service).ab. (HTTP WSDL SOAP SMTP) (interface with (web adj service))((re \$2generat\$4 or re\$creat\$4) with (web adj service) ) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/08 13:44
S107	4	("6985939" "20050044197").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/08 22:23
S108	36	((web adj service) (HTTP with SMTP with SOAP) WSDL) (abstract interface transport) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 07:08
S110	26	((web adj service) (HTTP with SMTP with SOAP) WSDL) (virtual interface transport) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 07:50
S111	3	S110 not S108	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 07:50
S112	2	(web adj service) ((regenerat \$4 or re?generat\$4 or re? creat\$4 or recreat\$4) with (web service))(client proxy) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 09:16
S114	6	("6947943" "20060173985" "20040194105").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 16:42

S115	22	((web adj service) (HTTP with SMTP with SOAP) WSDL) (virtual interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:46
S116	36	((web adj service) (HTTP with SMTP with SOAP) WSDL) (abstract interface transport) (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:47
S117	10	S115 not S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:47
S118	38	((web adj service) (HTTP with SMTP with SOAP) WSDL) (interface transport bind\$4) ((generat\$4 or creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:54
S119	18	S118 not S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 16:54
S120	38	((web adj service) (HTTP with SMTP with SOAP) WSDL) (interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:15
S121	57	((web adj service) (HTTP SMTP SOAP) WSDL) (interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:16
S122	34	((web adj service).ab. (HTTP SMTP SOAP) WSDL) (interface transport bind\$4) ((\$3generat\$4 or \$3creat\$4) near5 (web adj service)) (@ad< "20031230" or @rlad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:16

S123	13	S122 not S120	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/09 17:16
S128	11	(HTTP SMTP SOAP WSDL) AND ((re\$2generat\$4 re \$3creat\$4) near5 (web adj service)) AND (@ad<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:30
S130	90	(HTTP and SMTP and SOAP and WSDL) AND ((\$3generat \$4 \$3creat\$4) near5 (web adj service)) AND (@ad<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:34
S131	68	(HTTP and SMTP and SOAP and WSDL) AND (abstract virtual) AND (protocol) AND ((\$3generat\$4 \$3creat\$4) near5 (web adj service)) AND (@ad<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:35
S133	48	(HTTP and SMTP and SOAP and WSDL) AND (abstract virtual) AND (protocol with transport) AND ((\$3generat \$4 \$3creat\$4) near5 (web adj service)) AND (@ad<"20031230" @rlad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/09 19:35
S134	48	(web adj service) AND (authentikat\$4 near3 (protocol method option) with (icon image (drop adj down) menu display\$4 (GUI interface))) AND (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:24
S135	3	((web adj service) same (authentikat\$4 near3 (protocol method option) with (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:25
S136	7	((web adj service) same (authentikat\$4 near7 (protocol method option) with (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad<"20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:28

S137	3	((web adj service) same ( (authenticat\$4 near3 (protocol method option)) with (icon image (drop adj down) menu display\$4 (GUI interface)))) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:32
S138	61	(web adj service) AND ((authenticat\$4 near5 (protocol method option)) with (icon image menu (drop adj down) (check adj box) (display\$4 GUI interface) )) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:34
S139	128	(web adj service) AND ((authenticat\$4 near5 (protocol method option type)) with (icon image menu (drop adj down) select\$4 choos\$3 chos\$4 (check adj box) (display\$4 GUI interface) )) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:45
S140	26	(web adj service) AND ((authenticat\$4 near5 (protocol method option type)) with (icon image menu (drop adj down) select\$4 choos\$3 chos\$4 (check adj box) (display\$4 GUI interface) )) AND (@ad< "20031230") AND ((client server) with proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:46
S141	34	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (protocol method option type algorithm way menu) same (icon image (drop adj down) menu display\$4 (GUI interface))) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 10:40
S142	0	((web adj service) with authenticat\$4) AND (authenticat\$4 near4 dialog near3 box) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:32
S143	3	(web adj service) AND (authenticat\$4 near4 dialog near3 box) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:32

S144	32	(web adj service) AND (authenticat\$4 near4 dialog AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:41
S145	277	(web adj service) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 )) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:43
S146	277	(web adj service) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:43
S147	60	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:43
S148	41	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:49
S149	13	((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (protocol method type algorithm option) near7 (dialog menu set\$4 form box option) with (select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 11:50
S150	2	"7159224".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 10:46
S151	0	10/749735	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:40

S152	102	((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:44
S153	3	((web adj2 service) with client with proxy) AND ((transport near2 protocol) with interface) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:45
S154	27	((generat\$4 creat\$4 re\$2creat\$4 re\$2generat\$4) with (web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 08:48
S155	3	709/203.ccls. AND ((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:26
S156	4	713/170.ccls. AND ((web adj service) with authenticat\$4) AND (authenticat\$4 near5 (dialog menu option set\$4 select\$4 option) with (user select\$4 click\$4 choos\$4 chosen)) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:27
S157	5	709/230.ccls. AND ((web adj service) with authenticat\$4) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:27
S158	6	713/170.ccls. AND ((web adj service) with authenticat\$4) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:27
S159	99	(web near service) with (client near proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:29



S160	26	(web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:29
S162	1	(707/10.ccls.) AND (web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:36
S163	0	(717/100.ccls.) AND (web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:36
S164	10	"717"/\$.ccls. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S165	6	"713"/\$.ccls. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S166	46	"709"/\$.ccls. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S167	23	"707"/\$.ccls. AND ((web adj2 service) with client with proxy) AND (@ad< "20031230")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:42
S175	0	(713/150.ccls.) AND (web near service) with (client near proxy) AND @ad< "20031230"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:04

**EAST Search History (I nterference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
-------	------	--------------	-----	------------------	---------	------------

S168	0	("726/3.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy))).clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S169	0	("726"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy))).clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S170	0	("713"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy))).clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S171	1	("717"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy))).clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S172	0	("707"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy))).clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S173	3	("709"/\$.ccls.) AND ((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy))).clm.	US-PGPUB	OR	ON	2009/11/04 13:40
S174	0	((generat\$4 creat\$4) with ((web near2 service) near4 (client near2 proxy)) same authenticat\$4).clm.	US-PGPUB	OR	ON	2009/11/04 13:57

11/ 4/ 2009 3:27:59 PM

C:\ Documents and Settings\ lpham7\ My Documents\ EAST\ Workspaces\ 10\ 10-749-735.wsp